

1. (once amended) A method comprising the steps of:

- a1
- (a) storing in a data store in operative connection with a computer, data representative of a plurality of patients for whom medical items may be used;
  - (b) generating a report, wherein the report includes machine readable indicia corresponding to at least one of the patients and machine readable indicia corresponding to at least one item prescribed for the patient;
  - (c) reading the machine readable indicia on the report corresponding to a patient with a reading device;
  - (d) inputting to the computer, data representative of a medical item, wherein the computer is operative to include in the data store, data representative of the taking of the medical item for use by the patient;
  - (e) inputting data to the computer representative of giving the medical item to the patient, wherein the computer is operative to include in the data store, data representative of the medical item having been given to the patient.

[Kindly substitute the following amended claim 2 for pending claim 2:]

cont  
A1  
2. (once amended) The method according to claim 1 wherein step (a) further comprises storing in the data store, data representative of medical items prescribed for each patient, and wherein step (d) comprises reading the machine readable indicia corresponding to the medical item with the reading device.

---

Kindly substitute the following amended claim 4 for pending claim 4:

---

4. (once amended) A method comprising:

- A2
- (a) storing in a data store in operative connection with a computer, data representative of a plurality of patients for whom medical items may be used;
  - (b) generating a report, wherein the report includes machine readable indicia corresponding to at least one of the patients;
  - (c) reading the machine readable indicia on the report corresponding to a patient with a reading device;

- (d) inputting to the computer, data representative of a medical item, wherein the computer is operative to include in the data store, data representative of the taking of the medical item for use by the patient;
- (e) inputting data representative of giving the medical item to the patient to a portable terminal, storing data representative of the giving of the medical item to the patient in the portable terminal, and transferring data representative of the giving of the medical item to the patient from the portable terminal to the computer, wherein the computer is operative to include in the data store, data representative of the medical item having been given to the patient.

Kindly substitute the following amended claim 16 for pending claim 16:

16. (once amended) A method comprising the steps of:

- (a) storing in a data store in operative connection with a computer, data representative of a plurality of patients for whom medical items may be used;

- (b) storing in the data store, data representative of a plurality of medical items prescribed for use by corresponding patients;
- (c) generating a report including machine readable indicia indicative of a medical item prescribed for a patient, wherein the report further includes information indicative of the patient;
- (d) inputting to the computer, data corresponding to one of the plurality of patients;
- (e) inputting to the computer, data corresponding to at least one medical item indicated by data in the data store as prescribed for the one patient, including reading with a reading device the machine readable indicia on the report;
- (f) storing in the data store, data representative that the at least one medical item has been taken for use by the one patient;
- (g) using the at least one medical item in the medical treatment of the one patient; and

cont  
Q3

- (h) inputting data to the computer indicative that the at least one medical item has been used in the medical treatment of the one patient, wherein the computer is operative to include in the data store, data representative that the at least one medical item has been used in the medical treatment of the one patient.

Kindly substitute the following amended claim 17 for pending claim 17:

17. (once amended) The method according to claim 16 and prior to step (d) comprising including on the report, machine readable indicia indicative of the one patient, and wherein step (d) comprises reading with a reading device the machine readable indicia indicative of the one patient on the report.

Kindly substitute the following amended claim 18 for pending claim 18:

18. (once amended) The method according to claim 16 wherein step (h) comprises inputting the data representative that at least one medical item has been used in the medical treatment of the one patient to a portable terminal, storing data representative that the at least one medical item has been used in the medical treatment of the one patient in the portable terminal, and transferring data representative that the at least one medical item has been used in the medical treatment of the one patient from the portable terminal to the computer.

Kindly substitute the following amended claim 19 for pending claim 19:

19. (once amended) A method comprising:

- (a) storing in a data store in operative connection with a computer, data representative of a plurality of patients for whom medical items may be used;
- (b) storing in the data store, data representative of a plurality of medical items prescribed for use by corresponding patients;
- (c) inputting to the computer, data corresponding to one of the plurality of patients;
- (d) inputting to the computer, data corresponding to at least one medical item prescribed for the one patient;
- (e) dispensing the at least one medical item from a medical item dispenser responsive to reading machine readable indicia on a report in step (d).

Kindly substitute the following amended claim 20 for pending claim 20:

20. (once amended) A method comprising:

- (a) storing in a data store in operative connection with a computer, data representative of a plurality of patients for whom medical items may be used;
- (b) storing in the data store, data representative of a plurality of medical items prescribed for use by corresponding patients;
- (c) inputting to the computer, data corresponding to one of the plurality of patients;
- (d) inputting to the computer, data corresponding to at least one medical item prescribed for the one patient;
- (e) storing in the data store, data representative that the at least one medical item has been taken for use by the one patient, responsive to the at least one medical item being dispensed from a medical item dispenser;
- (f) using the at least one medical item in the medical treatment of the one patient; and

cont  
A3

- (g) inputting data to the computer indicative that the at least one medical item has been used in the medical treatment of the one patient, wherein the computer is operative to include in the data store, data representative that the at least one medical item has been used in the medical treatment of the one patient.

Kindly substitute the following amended claim 21 for pending claim 21:

21. (once amended) The method according to claim 19 and prior to the dispensing step, further comprising the steps of:

storing in the data store, data representative of a plurality of authorized users;

inputting to the computer, user data;

comparing the input user data to the data stored concerning authorized users and determining that the input user data corresponds to one authorized user;

wherein the step of dispensing the at least one medical item is carried out responsive to the determination that the input user data corresponds to one authorized user, and further comprising storing in the data store data



representative that the at least one medical item has been taken by the one authorized user.

[Kindly substitute the following amended claim 22 for pending claim 22:]

22. (once amended) The method according to claim 16 wherein step (e) comprises storing data in a portable terminal adjacent a bedside of the patient indicative that the at least one medical item has been used in the medical treatment of the one patient, and thereafter placing the portable terminal in operative connection with the computer, wherein information indicative of the use of the at least one medical item in the treatment of the patient is passed from the portable terminal to the computer.

cont  
A3 [Kindly substitute the following amended claim 23 for pending claim 23:]

23. (once amended) The method according to claim 22 wherein step (h) further comprises reading machine readable indicia on a patient associated item in proximity to the patient with a terminal reading device in operative connection with the portable terminal, wherein the data indicative that the at least one medical item has been given to the patient is stored in the portable terminal responsive to reading the machine readable indicia on the patient associated item.

[Kindly substitute the following amended claim 24 for pending claim 24:]

24. (once amended) The method according to claim 23 wherein in step (h) the patient associated item from which the machine readable indicia is read comprises at least one of a band worn by the patient, a bed label or a chart.

---

Kindly substitute the following amended claim 26 for pending claim 26:

---

26. (once amended) A method comprising:

- (a) storing in a data store in operative connection with a computer, data representative of a plurality of patients for whom medical items may be used;
- (b) storing in the data store, data representative of a plurality of medical items prescribed for use by corresponding patients;
- (c) inputting to the computer, data corresponding to one of the plurality of patients;
- (d) inputting to the computer, data corresponding to at least one medical item prescribed for the one patient;

- (e) storing in the data store, data representative that the at least one medical item has been taken for use by the one patient;
- (f) using the at least one medical item in the medical treatment of the one patient; and
- (g) storing data in a bedside terminal positioned in generally fixed relation adjacent a bedside area of the one patient, indicative that the at least one medical item has been used in the medical treatment of the one patient.

Cont  
A4  
[ Kindly substitute the following amended claim 27 for pending claim 27:

27. (once amended) The method according to claim 26 and further comprising storing data in a portable terminal adjacent a bedside of the patient indicative that the at least one medical item has been used in the medical treatment of the one patient, wherein step (g) includes passing the data between the portable terminal and the bedside terminal.

Kindly add new claim 28 as follows:

28. (newly added) The method according to claim 16 wherein generating the report includes  
Q5 operating a printing device to include in the report both machine readable indicia corresponding  
to a patient and machine readable indicia indicative of a medical item prescribed for the patient.